Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	576	@ad<"20011121" and ("load-balancer" or "load balancer")	US-PGPUB; USPAT	OR	ON	2005/11/25 15:47
S2	206	@ad<"20011121" and ("load-balancer" or "load balancer") and hierarch$6	US-PGPUB; USPAT	OR	ON	2005/03/30 16:32
S3	185	@ad<"20011121" and ("load-balancer" or "load balancer") and hierarch$6 and updat$6	US-PGPUB; USPAT	OR	ON	2005/03/31 10:57
S4	29	@ad<"20011121" and ("load-balancer" or "load balancer") and hierarch$6 same updat$6	US-PGPUB; USPAT	OR	ON	2005/03/30 16:32
S5	1	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 same updat$6	US-PGPUB; USPAT	OR	ON	2005/03/30 16:33
S6	11	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6	US-PGPUB; USPAT	OR	ON	2005/03/30 16:36
S7	1	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and internet and website	US-PGPUB; USPAT	OR	ON	2005/03/30 16:51
S8	7	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and web same services	US-PGPUB; USPAT	OR	ON	2005/03/30 16:44
S9	7	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and client same request$3 and (internet or web$5)	US-PGPUB; USPAT	OR	ON	2005/03/30 16:48
S10	6	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same table$2 and client same request$3 and (internet or web$5)	US-PGPUB; USPAT	OR	ON	2005/03/30 16:50
S11	0	@ad<"20011121" and ("load-balancer" or "load balancer") same table same hierarch$6 and updat$6 and client same request$3 and (internet or web$5)	US-PGPUB; USPAT	OR	ON	2005/03/30 16:50

S12	1	@ad<"20011121" and ("load-balancer" or "load balancer") same table same hierarch$6 and updat$6	US-PGPUB; USPAT	OR	ON	2005/03/30 16:50
S13	0	@ad<"20011121" and ("load-balancer" or "load balancer") same table same hierarch$6 and updat$6 and (web or internet)	US-PGPUB; USPAT	OR	ON	2005/03/30 16:51
S14	0	@ad<"20011121" and ("load-balancer" or "load balancer") same table same hierarch$6 and updat$6 and website	US-PGPUB; USPAT	OR	ON	2005/03/30 16:51
S15	0	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and internet and website and client same request$4	US-PGPUB; USPAT	OR	ON	2005/03/30 16:51
S16	1	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and internet and website and client	US-PGPUB; USPAT	OR	ON	2005/03/30 16:52
S17	11	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6	US-PGPUB; USPAT	OR	ON	2005/03/31 10:57
S18	10	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 and internet	US-PGPUB; USPAT	OR	ON	2005/03/31 10:58
S19	2	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 and internet	US-PGPUB; USPAT	OR	ON	2005/03/31 11:38
S20	1	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 and internet and (timestamp or "time-stamp" or "time stamp")	US-PGPUB; USPAT	OR	ON	2005/03/31 11:41
S21	2	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 and internet and time	US-PGPUB; USPAT	OR	ON	2005/03/31 11:41

S23	2	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 same time and internet	US-PGPUB; USPAT	OR	ON	2005/03/31 11:43
S24	0	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 same stamp and internet	US-PGPUB; USPAT	OR	ON	2005/03/31 11:43
S25	2	@ad<"20011121" and ("load-balancer" or "load balancer") same hierarch$6 and updat$6 same database$2 same compar$5 and internet	US-PGPUB; USPAT	OR	ON	2005/03/31 11:43
S26	0	@ad<"20011121" and replica$6 same server same redirect$4 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/28 12:12
S27	15	@ad<"20011121" and replica$6 same server and redirect$4 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/25 16:46
S28	0	@ad<"20011121" and replica$6 same server and redirect$4 same "service endpoint"	US-PGPUB; USPAT	OR	ON	2005/11/25 15:48
S29	310	@ad<"20011121" and replica$6 same rout$4 same table	US-PGPUB; USPAT	OR	ON	2005/11/25 16:46
S30	1	@ad<"20011121" and replica$6 same rout$4 same table and rout$4 same endpoint same "service provider"	US-PGPUB; USPAT	OR	ON	2005/11/25 16:48
S31	0	@ad<"20011121" and parent same child same "routing table" same (replicat$4 or duplicat$4)	US-PGPUB; USPAT	OR	ON	2005/11/25 16:49
S32	22	@ad<"20011121" and parent same child same "routing table" and (replicat$4 or duplicat$4)	US-PGPUB; USPAT	OR	ON	2005/11/25 16:53
S33	0	@ad<"20011121" and parent same child same "routing table" and (replicat$4 or duplicat$4) and redirect$4 same (endpoint or "service provider")	US-PGPUB; USPAT	OR	ON	2005/11/25 16:50
S34	1	@ad<"20011121" and parent same child same "routing table" and (replicat$4 or duplicat$4) and redirect$4 and (endpoint or "service provider")	US-PGPUB; USPAT	OR	ON	2005/11/25 16:53
S35	0	@ad<"20011121" and parent same child same "routing table" same (replicat$4 or duplicat$4)	US-PGPUB; USPAT	OR	ON	2005/11/25 16:53

S36	0	@ad<"20011121" and parent same child same "routing table" and (replicat$4 or duplicat$4) same redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 16:54
S37	3	@ad<"20011121" and parent same child same "routing table" and (replicat$4 or duplicat$4) and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:15
S38	0	@ad<"20011121" and parent same child same "routing table" same redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:16
S39	0	@ad<"20011121" and parent same child same "routing table" near redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:16
S40	3	@ad<"20011121" and parent same child same "routing table" and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:16
S41	8	@ad<"20011121" and parent same child same table same redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:17
S42	40	@ad<"20011121" and parent same child same route$2 same table	US-PGPUB; USPAT	OR	ON	2005/11/25 17:18
S43	5	@ad<"20011121" and parent same child same route$2 same table and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:20
S44	0	@ad<"20011121" and parent same child same route$2 same (duplicate$2 or replicate$2) same table and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:20
S45	0	@ad<"20011121" and parent same child same route$2 and (duplicate$2 or replicate$2) same table and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:21
S46	1	@ad<"20011121" and parent same child same route$2 same (duplicate$2 or replicate$2) and table and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:24
S47	2	@ad<"20011121" and parent same child same route$2 same table and (duplicate$2 or replicate$2) and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/25 17:27
S48	0	@ad<"20011121" and parent same child same route$2 same table same "request routing"	US-PGPUB; USPAT	OR	ON	2005/11/25 17:27
S49	1	@ad<"20011121" and parent same child same route$2 same table and "request routing"	US-PGPUB; USPAT	OR	ON	2005/11/25 17:27

S50	733	@ad<"20011121" and "request routing"	US-PGPUB; USPAT	OR	ON	2005/11/25 17:28
S51	0	@ad<"20011121" and "request routing" and ("action path" or "action identifier")	US-PGPUB; USPAT	OR	ON	2005/11/25 17:28
S52	213	@ad<"20011121" and "request routing" and action and resource	US-PGPUB; USPAT	OR	ON	2005/11/25 17:28
S53	0	@ad<"20011121" and "request routing" same action same path and resource	US-PGPUB; USPAT	OR	ON	2005/11/25 17:29
S54	1	@ad<"20011121" and "request routing" same action same resource	US-PGPUB; USPAT	OR	ON	2005/11/25 17:29
S55	0	@ad<"20011121" and "request routing" same duplicat$4 same table	US-PGPUB; USPAT	OR	ON	2005/11/25 17:30
S56	12	@ad<"20011121" and "request routing" and duplicat$4 same table	US-PGPUB; USPAT	OR	ON	2005/11/25 17:30
S57	12	@ad<"20011121" and "request routing" and duplicat$4 same table$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:33
S58	488	@ad<"20011121" and duplicat$4 same rout$4 same table$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:34
S59	4	@ad<"20011121" and duplicat$4 same rout$4 same table$2 same redirect$5	US-PGPUB; USPAT	OR	ON	2005/11/25 17:37
S60	0	@ad<"20011121" and duplicat$4 same rout$4 same table$2 same redirect$5 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/25 17:34
S61	0	@ad<"20011121" and duplicat$4 same rout$4 same table$2 same redirect$5 and endpoint	US-PGPUB; USPAT	OR	ON	2005/11/25 17:34
S62	52	@ad<"20011121" and duplicat$4 same rout$4 same table$2 same node	US-PGPUB; USPAT	OR	ON	2005/11/25 17:37
S63	2	@ad<"20011121" and duplicat$4 same rout$4 same table$2 same node same parent	US-PGPUB; USPAT	OR	ON	2005/11/25 17:38
S64	10	@ad<"20011121" and rout$4 same node same intermediat$4 and web same services same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:39
S65	10	@ad<"20011121" and rout$4 same node same intermediat$4 same web same services same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:45

S66	0	@ad<"20011121" and rout$4 same node same intermediat$4 same "web services transaction" same client same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:40
S67	0	@ad<"20011121" and rout$4 same node same intermediat$4 same "web services transaction" and client same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:40
S68	0	@ad<"20011121" and rout$4 same node same intermediat$4 same "web services transaction" and endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:40
S69	0	@ad<"20011121" and rout$4 same node same intermediating same web same services same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:45
S70	0	@ad<"20011121" and rout$4 same node same intermediating and web same services same endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:45
S71	0	@ad<"20011121" and rout$4 same node same intermediating and web same services and endpoint$2	US-PGPUB; USPAT	OR	ON	2005/11/25 17:45
S72	1	@ad<"20011121" and rout$4 same node same intermediating	US-PGPUB; USPAT	OR	ON	2005/11/25 17:49
S73	0	@ad<"20011121" and node same intermediating and "web services transactions"	US-PGPUB; USPAT	OR	ON	2005/11/25 17:49
S74	0	@ad<"20011121" and node same intermediating and "web services"	US-PGPUB; USPAT	OR	ON	2005/11/25 17:49
S75	0	@ad<"20011121" and node same intermediating and web same transact$6	US-PGPUB; USPAT	OR	ON	2005/11/25 17:50
S76	0	@ad<"20011121" and node same intermediating and web same services	US-PGPUB; USPAT	OR	ON	2005/11/25 17:50
S77	2	@ad<"20011121" and node same intermediating same services	US-PGPUB; USPAT	OR	ON	2005/11/25 18:02
S78	0	@ad<"20011121" and node same intermediating same (internet or web)	US-PGPUB; USPAT	OR	ON	2005/11/25 18:03
S79	2	@ad<"20011121" and node same intermediating and (internet or web)	US-PGPUB; USPAT	OR	ON	2005/11/25 18:04
S80	0	@ad<"20011121" and router same intermediating same "web services"	US-PGPUB; USPAT	OR	ON	2005/11/25 18:05

S81	1	@ad<"20011121" and router same intermediating same network same service$2	US-PGPUB; USPAT	OR	ON	2005/11/25 18:05
S82	15	@ad<"20011121" and replica$6 same server and redirect$4 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/28 17:07
S91	636	@ad<"20011121" and server same hierarch$6 and redirect$4	US-PGPUB; USPAT	OR	ON	2005/11/28 17:10
S92	0	@ad<"20011121" and replica$6 same server same hierarch$6 and redirect$4 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/28 17:10
S93	7	@ad<"20011121" and replica$6 same server and hierarch$6 and redirect$4 same endpoint	US-PGPUB; USPAT	OR	ON	2005/11/28 17:11